

PREFINISHED METAL DRIP EDGE

PREFINISHED METAL GUTTER AND SUPPORT STRAPS

WOOD NAILERS

INSULATION

EXISTING WALL

EXISTING DECK

6" POLYESTER FABRIC

PREMIUM WHITE ELASTOMERIC FINISH COAT

12" POLYESTER FABRIC  
- EXTEND 4" DOWN FACE OF NAILERS AND 8" ONTO ROOF SURFACE

UNIFLEX BASE COAT

POLYESTER FABRIC

UNIFLEX BASE COAT

NOTES:

1. PRIOR TO EXECUTING GUTTER DETAIL, REFER TO APPROPRIATE UNIFLEX PREMIUM ELASTOMERIC SPECIFICATION.
2. GUTTERS AND SUPPORT STRAPS SHOULD BE INSTALLED PER MANUFACTURERS APPROVED REQUIREMENT.
3. IF GUTTER AND METAL DRIP EDGE ALREADY EXISTS, WRAP 12" POLYESTER FABRIC OVER DRIP.



ELASTOMERIC FABRIC REINFORCED SYSTEM : RIGID INSULATION/PLYWOOD/APPROVED ROOF BOARDS

DATE: 3/25/11

TYPICAL GUTTER EDGE DETAIL

NOT TO SCALE

SHEET NO:

FRS-G-1