

# PRODUCT PORTFOLIO





# Table of Contents

Benefits of UNIFLEX® Fluid Applied Roofing Systems	4
Reflective White Roof Coatings	6
Pigmented Roof Coatings	7
Aluminum Roof Coatings	8
Asphalt Emulsion Coatings	9
Basecoats and Primers	10-11
Patch and Repair: Roof Coatings, Fabrics and Tapes	12-13
Patch and Repair: Roof Sealants	14-15
Part Numbers	16-19

# Benefits of UNIFLEX® Fluid Applied Roofing Systems

## **No Tear-Offs**

- **No Disruption to Occupants.** With UNIFLEX, there is no need to close the building during installation. The non-toxic formulation means no disruption to occupants and no interruption of business.
- **Lightweight Solution.** Unlike traditional roof replacement, UNIFLEX Fluid Applied Roofing Systems provide a lightweight solution to roofing needs. It's ounces, not pounds, per square foot.

## **Extend the Life of Your Roof**

- Longer Building Life Cycle. UNIFLEX Fluid Applied Roofing Systems are installed onto existing roofs to extend the service life of the facility.
- **Great Weatherability.** UNIFLEX Systems resist blistering, chalking, checking, cracking and flaking protecting the roof from further weathering and degradation.

## **Sustainable Solutions**

- Lower Disposal Costs. Coatings can be reapplied to continuously refresh the roof without tearing off existing roofing.
- Environmentally Responsible. The formulations of UNIFLEX Fluid Applied Roofing Systems do not require hot kettles or flames during installation. It's a safer process and the environmental benefits are significant.
- Lower Roof Temperatures. Highly reflective white coatings reflect 85% of the sun's radiant heat, dramatically lowering the temperature of the underlying roof and preventing further degradation.

## Seamless Waterproofing

• **Proven Performance.** UNIFLEX Systems eliminate seams, the most common source of roof leaks. Our thick, flexible protective coatings provide lasting, easy-to-maintain waterproof protection.

## **Energy and Utility Savings**

- Significant Energy Savings. According to EnergyStar.gov, having a white, reflective roof reduces the roof's surface temperature by up to 100 °F, significantly decreasing the amount of heat transferred into the building and reducing peak cooling demands. Higher reflectivity = lower energy consumption and lower cooling costs.
- Cost-Saving Installation. UNIFLEX Fluid Applied Roofing Systems are typically easier to install and maintain than a conventional tear-off roof and also eliminate unnecessary construction waste.

  This means such projects generally cost a fraction of the price of a new roof installation.
- **Utility Rebates.** Some utility companies offer rebates to building owners who conserve energy by using white reflective roof coatings. Contact your electric utility provider for energy rebate offers. Further details can be found at www.dsireusa.org.





Reflective White Roof Coatings
Reflective Roof Coatings provide superior flexibility and durability. UNIFLEX® offers elastomeric roof coatings in highly reflective white, as well as custom shades in a variety of colors.

	S.) . A . S. C. G.		Strongs 7		
	to 4400 per September 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SULCOME A 4 000 5 Sar Landson A	SILICONE 2 4 400 We state as a	PREMIUM	The state of the s
PRODUCT NAME	URETHANE88™ WHITE ROOF COATING	SILICONE44 <sup>TM</sup> WHITE ROOF COATING	LOW-SOLID WHITE ROOF COATING	ELASTOMERIC WHITE	COMMERCIAL GRADE ELASTOMERIC WHITE
TECHNOLOGY	ALIPHATIC MOISTURE CURING POLYURETHANE	100% SILICONE	SILICONE	100% ACRYLIC ELASTOMERIC	100% ACRYLIC ELASTOMERIC
FEATURES AND BENEFITS	Superior tensile strength Superior elongation Aliphatic two-coat system UV stable Resists dirt pickup Incredible durability Flexible and high elongation Watertight system resists ponding water Strong adhesion to most roofing substrates	High solids Ponding water resistance Outstanding adhesion Excellent flow and leveling	<ul> <li>Low solids</li> <li>Ponding water resistance</li> <li>Outstanding adhesion</li> <li>Excellent flow and leveling</li> </ul>	Premium grade Outstanding adhesion Superior reflectivity Resists cracking and peeling Excellent waterproofing capabilities Reduces surface temperatures, minimizing thermal expansion and contraction	Commercial grade Excellent adhesion and reflectivity Great performance and value Excellent waterproofing capabilities
RECOMMENDED SUBSTRATES	Over metal, polyurethane foam, single ply, cured concrete, smooth built-up roof, modified bitumen and existing approved roof coatings.	Over metal, polyurethane foam, cured concrete, smooth BUR, modified bitumen, granular cap sheets, EPDM, Hypalon® and other approved surfaces.	Over metal, polyurethane foam, cured concrete, smooth BUR, modified bitumen, granular cap sheets, EPDM, Hypalon and other approved surfaces.	Over metal, polyurethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets, EPDM, Hypalon and other approved surfaces.	Over metal, polyurethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets, EPDM, Hypalon and other approved surfaces.
USE WITH FABRIC	✓	✓	✓	✓	✓
PART NUMBER	KST046600 WHITE KST046600 GRAY	KST044300 WHITE	KST044500 WHITE	KST041300 WHITE	KST041500 WHITE
SIZE	5-GALLON	5-GALLON, 55-GALLON DRUM	5-GALLON	5-GALLON, 55-GALLON DRUM, 250-GALLON TOTE	5-GALLON 55-GALLON DRUM, 250-GALLON TOTE
voc	134.5 g/L	< 50 g/L	≤ 246 g/L	≤ 50 g/L	< 50 g/L
APPROVALS					
	CONTROL COUNTY  RATED  ROCKT  CONTROL COUNTY  LEFT COUNTY	CARE COUNTY (MACAGINET)	NSF Contraction	INST	CONTROL COLUMN BANGOLD













# Pigmented Roof Coatings UNIFLEX offers a variety of package colors and tintable bases.

1 1				
COOLMAX41TM	UNIFLEX	G. G. Ser Service Serv	4-125 mm married mm m m m m m m m m m m m m m m m m m	SILICONE 4 4432 mm and 4 4432
II-BUILD ELASTOMERIC ROOF COATING WHITE	PREMIUM ELASTOMERIC SEDONA TAN	PREMIUM ELASTOMERIC TINT BASES	PREMIUM ELASTOMERIC BLACK	SILICONE44 COLOR ROOF COATING
100% ACRYLIC ELASTOMERIC	100% ACRYLIC ELASTOMERIC	100% ACRYLIC ELASTOMERIC	100% ACRYLIC ELASTOMERIC	100% SILICONE
Formulated for desert climate conditions Easy application for high film build and superior nide Excellent flexibility to allow for expansion and contraction of the roof Dirt pickup resistant	Premium grade Outstanding adhesion Resists cracking and peeling Excellent waterproofing capabilities	Premium grade Excellent waterproofing capabilities Can be custom matched or shaded to the Sher-Color™ Palette Tinted with CCE colorant system	Premium grade Outstanding adhesion Resists cracking and peeling Excellent waterproofing capabilities	Ideal for ponding water Can be used as a basecoat or finish coat Superior adhesion to most roofing substrates Limited lifetime warranty Other colors available. See Sales Rep for more information.
Over metal, polyurethane nam, concrete, smooth BUR, nodified bitumen, granular nap sheets, EPDM, Hypalon nd other approved surfaces.	Over metal, polyurethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets, EPDM, Hypalon and other approved surfaces.	Over metal, polyurethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets, EPDM, Hypalon and other approved surfaces.	Over metal, polyurethane foam, concrete, smooth BUR, modified bitumen, granular cap sheets, EPDM, Hypalon and other approved surfaces.	Over metal, polyurethane foam, cured concrete, smooth BUR, modified bitumen, granular cap sheets, EPDM, Hypalon and other approved surfaces.
✓	✓	✓	✓	<b>✓</b>
KST041505 WHITE	KST41300T SEDONA TAN	KST04130P PASTEL BASE KST04130D DEEP BASE KST04130A ACCENT BASE	KST041325 BLACK	KST044320 GRAY KST04432T TAN KST04432Y YELLOW KST04432B BLUE KST04432C BLACK KST04432G GREEN KST04432R RED
5-GALLON, GALLON DRUM, 250-GALLON TOTE	5-GALLON	5-GALLON	5-GALLON, 55-GALLON DRUM	5-GALLON, 55-GALLON DRUM
< 50 g/L	≤ 50 g/L	< 50 g/L	< 50 g/L	< 50 g/L

Refer to the current MSDS/EDS for specific VOCs (calculated per 40 CFR 59.406).

MIAMIDADE COUNTY





MIAMIDADE COUNTY





## **Aluminum Roof Coatings**

Aluminum Finish Coats are proven to protect a roof surface from the elements. They provide a protective aluminum finish with waterproofing capabilities.

	Control of the contro	To a section 11	SOLD STATE OF THE
PRODUCT NAME	500 PREMIUM ALUMINUM	300 COMMERCIAL ALUMINUM	204XB NON-FIBERED ALUMINUM
TECHNOLOGY	ASPHALT	ASPHALT	ASPHALT
FEATURES AND BENEFITS	<ul> <li>Brightest finish with enhanced aluminum</li> <li>Maximum coverage</li> <li>Fiber reinforced for lasting strength</li> <li>Resaturates to extend the life of asphalt and mod bit roofs</li> <li>Apply to slightly rusty metal roofs without a primer</li> </ul>	<ul> <li>Bright aluminum finish</li> <li>Very good coverage</li> <li>Fiber reinforced, basic protection</li> <li>Refreshes asphalt surfaces</li> <li>Apply to slightly rusty metal roofs without a primer</li> </ul>	<ul> <li>Non-fibered aluminum finish coat</li> <li>Good coverage</li> <li>Formulated from refined asphalt, aliphatic solvents and ASTM D-962 aluminum paste</li> <li>Waterproof and adhesive properties of asphalt combined with the reflectivity of aluminum</li> <li>Reduces interior and exterior roof temperatures</li> </ul>
RECOMMENDED SUBSTRATES	Over metal, smooth BUR, modified bitumen and other approved surfaces.	Over metal, smooth BUR, modified bitumen and other approved surfaces.	Over metal, smooth BUR, modified bitumen and other approved surfaces.
CAN BE USED WITH FABRIC	✓	✓	✓
PART NUMBER	KST020475 SILVER	KST020480 SILVER	KST0204XB SILVER
SIZE	5-GALLON, 55-GALLON DRUM	5-GALLON, 55-GALLON DRUM	5-GALLON
voc	435 ± 10 g/L	450 ± 10 g/L	< 400 g/L
APPROVALS			
	F M CAPPAOVED CHARACTER CONTROL OF CAPPAOVED CHARACTER CONTROL CONTROL CONTROL CONTROL CONTRO		





## **Asphalt Emulsion Coatings**

Asphalt Emulsion Coatings are manufactured through a unique process that allows asphalt to mix with water. This easy-to-apply coating can be used in a variety of applications.





	The second secon	an Way 21 - Long Control of the Cont				
PRODUCT NAME	FIBERED ASPHALT EMULSION	NON-FIBERED ASPHALT EMULSION				
TECHNOLOGY	ASPHALT	ASPHALT				
FEATURES AND BENEFITS	<ul> <li>Reinforced with poly-fibers for extra strength and durable, easy-to-apply coating</li> <li>Outstanding abrasion resistance</li> <li>Exceptional weathering characteristics to prevent alligatoring and hardening</li> <li>Meets ASTM D1227, Type II, Class 1</li> </ul>	<ul> <li>Non-fibered for improved penetration and resaturating, easy-to-apply coating</li> <li>Outstanding abrasion resistance</li> <li>Exceptional weathering characteristics to prevent alligatoring and hardening</li> <li>Meets ASTM D1227, Type II, Class 1</li> </ul>				
RECOMMENDED SUBSTRATES	Recommended for resurfacing extremely dried-out or heavily alligatored surfaces on smooth, built-up and modified bitumen roofs. Surface can then be coated with UNIFLEX® Elastomeric or Aluminum Coating systems.	Recommended for resurfacing extremely dried-out or heavily alligatored surfaces on smooth, built-up and modified bitumen roofs. Surface can then be coated with UNIFLEX Elastomeric or Aluminum Coating systems.				
USE WITH FABRIC	✓	✓				
PART NUMBER	KST040312 BLACK	KST040314 BLACK				
SIZE	5-GALLON, 55-GALLON DRUM	5-GALLON, 55-GALLON DRUM				
voc	< 50 g/L	0 g/L				
APPROVALS						

Refer to the current MSDS/EDS for specific VOCs (calculated per 40 CFR 59.406).






## Basecoats and Primers

Proper surface preparation is key to a successful coating job. UNIFLEX® offers a full line of basecoats and primers.

	URTHANE  4439  4439  4439				
PRODUCT NAME	URETHANE88 <sup>TM</sup> GRAY ROOF COATING	PREMIUM ELASTOMERIC GRAY	COMMERCIAL GRADE ELASTOMERIC GRAY	SINGLE PLY ELASTOMERIC ACRYLIC GRAY BASECOAT	ELASTOMERIC MB BASECOAT
TECHNOLOGY	ALIPHATIC MOISTURE CURING POLYURETHANE	100% ACRYLIC ELASTOMERIC	100% ACRYLIC ELASTOMERIC	ACRYLIC	100% ACRYLIC ELASTOMERIC
FEATURES AND BENEFITS	Superior tensile strength Superior elongation Aliphatic two-coat system UV stable Resists dirt pickup Incredible durability Flexible and high elongation Watertight system resists ponding water Strong adhesion to most roofing substrates	<ul> <li>Premium grade</li> <li>Outstanding adhesion</li> <li>Resists cracking and peeling</li> <li>Excellent waterproofing capabilities</li> <li>Can be used as a basecoat or finish coat</li> </ul>	Commercial grade Excellent adhesion Great performance and value Can be used as a basecoat or finish coat	Cross-linking acrylic polymer for enhanced adhesion  Must be topcoated by UNIFLEX Elastomeric Finish Coat	Outstanding adhesion     Resists cracking     and peeling     Excellent     waterproofing     capabilities     Must be topcoated by     UNIFLEX Elastomeric     Finish Coat
RECOMMENDED SUBSTRATES	Over metal, polyurethane foam, single ply, cured concrete, smooth built-up roof, modified bitumen and existing approved roof coatings.	As a basecoat, can be used over metal, concrete and polyurethane foam. Refer to Product Data Sheet for additional recommended substrates if used as a finish coat.	As a basecoat, can be used over metal, concrete and polyurethane foam. Refer to Product Data Sheet for additional recommended substrates if used as a finish coat.	Over weathered EPDM, Hypalon® TPO and other approved single-ply membranes.	Over smooth BUR, modified bitumen, granular cap sheets and other approved surfaces.
USE WITH FABRIC	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
PART NUMBER	KST046600 GRAY	KST041320 GRAY	KST041520 GRAY	KST041321 GRAY	KST041510 WHITE KST041512 GRAY
SIZE	5-GALLON	5-GALLON, 55-GALLON DRUM, 250-GALLON TOTE	5-GALLON, 55-GALLON DRUM	5-GALLON, 55-GALLON DRUM	5-GALLON, 55-GALLON DRUM, 250-GALLON TOTE (WHITE)
voc	134.5 g/L	< 50 g/L	< 50 g/L	≤ 50 g/L	< 50 g/L
APPROVALS					
	Company (Company)	FM AFFECTIO	Charles Courts Harris Courts	THE STREET STREET	TORRESC COLED F M





# Patch and Repair: Roof Coatings, Fabrics and Tapes Stop leaks and roof deterioration with our patch and repair products.

PRODUCT NAME  ACRYLIC PATCHING CEMENT  SLOPE BUILDER  SKYLIGHT RESTORATIVE CLEAR COATING  SKYLIGHT RESTORATIVE CLEAR COATING  100% ACRYLIC  100% ACRYLIC  100% ACRYLIC  100% ACRYLIC  100% ACRYLIC  • Provides a long-lasting, durable, resilient patch • UV and water resistant with excellent resistance to mildew attack and weathering  • Provides protective waterproofing solutions  • Provides a durable, weather-resistant finish while increasing the panel's light translucent value
TECHNOLOGY  ACRYLIC BASED ELASTOMERIC RESIN  Provides a long-lasting, durable, resilient patch  UV and water resistant with excellent resistance to mildew attack and weathering  ACRYLIC BASED ELASTOMERIC  100% ACRYLIC ELASTOMERIC  Provides a long-lasting, durable, low-lying areas on flat, low-sloped roofs Provides protective waterproofing solutions  Provides a durable, weather-resistant finish while increasing the panel's
FEATURES AND BENEFITS  • Provides a long-lasting, durable, resilient patch • UV and water resistant with excellent resistance to mildew attack and weathering  • Provides a long-lasting, durable, low-lying areas on flat, low-sloped roofs • Provides a durable, weather-resistant finish while increasing the panel's
<ul> <li>Provides a long-lasting, durable, resilient patch</li> <li>UV and water resistant with excellent resistance to mildew attack and weathering</li> <li>Designed to build up low-lying areas on flat, low-sloped roofs</li> <li>Provides a durable, weather-resistant finish while increasing the panel's</li> </ul>
RECOMMENDED SUBSTRATES  Repairs metal roof seams, penetration and wall flashings, small holes, splits, cracks, blisters in built-up, modified bitumen, polyurethane foam and concrete.  To create roof crickets around HVAC and around rooftop equipment. It is ideal for building up low-lying areas near drains, in valleys, along parapet walls and in the field of the roof prior to installing UNIFLEX Fluid Applied Roofing Systems.  Over fiberglass skylight panels.
USE WITH FABRIC/SEAM TAPE
PART NUMBER KST041220 WHITE KST0SLPBD GRAY KST019100 CLEAR
SIZE 2-GALLON 40 LBS. POWDER IN 5-GALLON 5-GALLON
<b>VOC</b> < 50 g/L 0 g/L < 50 g/L

Wet-Dry Roof Cement		
WET-DRY ROOF CEMENT	POLYESTER FABRIC	BUTYL SEAM TAPE
ASPHALT	POLYESTER	BUTYL RUBBER
<ul> <li>Single-component, asbestos-free, asphalt-based cement designed for roofing applications</li> <li>Seals quickly, will not pull apart or lose its bond, remains soft and pliable, and resists temperature change</li> <li>Can be applied to wet or dry surfaces, even underwater</li> </ul>	<ul> <li>Exceptionally strong material</li> <li>Accommodates expansion and contraction</li> <li>Use for reinforcement for all general roof repairs, seams, flashings, penetration areas and other roof detail areas</li> </ul>	<ul> <li>Self-adhering butyl rubber waterproofing tape</li> <li>Maintains its flexibility necessary to respond to dynamics of roof movement</li> <li>Seals seams, flashings, penetration areas and other roof detail areas</li> </ul>
Adheres to asphaltic-based roofing substrates.	Use in three-course methods with embedded fabrics with elastomeric or emulsion coatings.	Seals seams, flashings, penetration areas and other roof detail areas.
✓		
KST058600 BLACK	KST203850 WHITE KST20385A WHITE KST20385B WHITE KST020385 WHITE	KST020802 KST020804 KST020806 KST020808
10 OZ. CARTRIDGE, 1-GALLON, 5-GALLON	4" x 324', 6" x 324', 12" x 324', 40" x 324'	2" x 50', 4" x 50', 6" x 50', 8" x 50'
< 260 g/L	N/A	N/A



# Patch and Repair: Roof Sealants Stop leaks and roof deterioration with our patch and repair products.

	TELASH	UNITED STATE OF MAIN	WIFER
	Stage	SLICONE 44 -900  Assignment of them had been a second of the second of t	Yoodyme Gooling Sealant ************************************
PRODUCT NAME	ONE FLASH™ ROOF REPAIR SEALANT	SILICONE44™-900 SILICONE RUBBERIZED ROOF AND FLASHING SEALANT	TRIPOLYMER ROOFING SEALANT
TECHNOLOGY	MS HYBRID	100% SILICONE	SOLVENT
FEATURES AND BENEFITS	Single-step application for reduced labor time  No fabric reinforcement required* Easy application by brush or caulking gun Remains flexible and strong Excellent adhesion to multiple substrates  Can be recoated by traditional acrylic and silicone roof coatings  *No fabric or tape needed for gaps less than 1/8".	<ul> <li>Durable, weather-resistant seal</li> <li>Excellent adhesion</li> <li>Permanently flexible</li> <li>Can only be coated with silicone</li> </ul>	<ul> <li>Primerless application</li> <li>Excellent adhesion to many building surfaces, even when damp</li> <li>Exceptional elongation and flexibility</li> </ul>
RECOMMENDED SUBSTRATES	EPDM, aged TPO, aged PVC, metal, concrete, modified bitumen, asphalt, most silicones and other common roof substrates.	Adheres to EPDM, primed TPO, metal, concrete, mod bit, Hypalon®, asphalt shingles and other common roof substrates.	Adheres to coated metal (Kynar®) brick, concrete, glass, vinyl, steel, tile, wood, asphalt and other common roof substrates.
TACK FREE/ CURE TIME	Skin Time 30-60 Minutes/ Full Cure 24 Hours	30 Minutes/ 24 Hours	2 Hours/ 4 to 6 Days
APPLICATION TEMP/ SERVICE TEMP	30 °F to 140 °F/ -40 °F to 200 °F	35 °F to 160 °F	0 °F to 140 °F/ -40 °F to 180 °F
PART NUMBER	KST051920 GRAY KST051921 WHITE	KST044900 WHITE	KST058450 CLEAR
FILL LEVEL	20 OZ. SAUSAGE, 2-GALLON, 5-GALLON	10 OZ. CARTRIDGE, 2-GALLON	10.3 OZ. CARTRIDGE
voc	< 1% wt	< 3% wt	3.84% wt





## MS HYBRID ROOFING SEALANT

MS HYBRID

- Applies, adheres and cures underwater
- Two-products-in-one lap adhesive and scrim edge sealant
- Remains flexible and will not shrink during curing

Adheres to coated metal (Kynar) EPDM, primed TPO, primed PVC, metal and other common roof substrates. Primed with UNIFLEX® TPO & PVC Adhesion Promoter.

40 Minutes/4 Days 75 Minutes/1 Day (Clear Only)

30 °F to 120 °F/ -40 °F to 200 °F

KST058310 BLACK KST058350 CLEAR

10.1 OZ. CARTRIDGE (WHITE, BLACK ONLY) 9.5 OZ. CARTRIDGE (CLEAR ONLY)

< 1% wt

Refer to the current MSDS/EDS for specific VOCs (calculated per 40 CFR 59.406).





REFLECTIVE WHITE ROOF COATING																					
	7.2		гν		v	_	~	_	м.	_	^	-	-		••	NV.	 _	_		_	-
		16	w	4 W	•			_	ш			74	-	 -	141	A7/			31	-	167

KEI ELGIVE WINE ROOF COATINGS									
PRODUCT NUMBER	PRODUCT DESCRIPTION	SIZE DESCRIPTION	SIZE CODE	SMIS CODE					
KST041300	Premium Elastomeric White Finish Coat	5-Gallon	20	009921156					
KST041300	Premium Elastomeric White Finish Coat	55-Gallon Drum	27	009921164					
KST041300	Premium Elastomeric White Finish Coat	250-Gallon Tote	28	001556604					
KST041500	Commercial Grade Elastomeric White Finish Coat	5-Gallon	20	009921248					
KST041500	Commercial Grade Elastomeric White Finish Coat	55-Gallon Drum	27	009921255					
KST041500	Commercial Grade Elastomeric White Finish Coat	250-Gallon Tote	28	001512920					
KST041505	CoolMax41™ Hi-Build Elastomeric White Finish Coat	5-Gallon	20	651030165					
KST041505	CoolMax41 Hi-Build Elastomeric White Finish Coat	55-Gallon Drum	27	651030298					
KST041505	CoolMax41 Hi-Build Elastomeric White Finish Coat	250-Gallon Tote	28	651063224					
KST044300	Silicone44™ Silicone Rubberized White Roof Coating	5-Gallon	20	650963036					
KST044300	Silicone44 Silicone Rubberized White Roof Coating	55-Gallon Drum	27	650963051					
KST044500	Silicone22 Low Solid Silicone Rubberized White Roof Coating	5-Gallon	20	102044062					
KST046600	Urethane88™ Roof Coat	5-Gallon	20	651401010					

## **PIGMENTED ROOF COATINGS**

PRODUCT NUMBER	PRODUCT DESCRIPTION	SIZE DESCRIPTION	SIZE CODE	SMIS CODE
KST04130A	Premium Elastomeric Tint Bases – Accent Finish Coat	5-Gallon	20	650118029
KST04130D	Premium Elastomeric Tint Bases – Deep Finish Coat	5-Gallon	20	650118011
KST04130P	Premium Elastomeric Tint Bases – Pastel Finish Coat	5-Gallon	20	650118003
KST041325	Premium Elastomeric Black Finish Coat	5-Gallon	20	1556638
KST41300T	Premium Elastomeric Sedona Tan Finish Coat	5-Gallon	20	650340490
KST044320	Silicone44 Silicone Rubberized Roof Coating – Gray	5-Gallon	20	650963069
KST044320	Silicone44 Silicone Rubberized Roof Coating – Gray	55-Gallon Drum	27	650963077
KST04432T	Silicone44 Silicone Rubberized Roof Coating – Tan	5-Gallon	20	651339871
KST04432T	Silicone44 Silicone Rubberized Roof Coating – Tan	55-Gallon Drum	27	651339988
KST04432Y	Silicone44 Silicone Rubberized Roof Coating – Yellow	5-Gallon	20	651340002
KST04432Y	Silicone44 Silicone Rubberized Roof Coating – Yellow	55-Gallon Drum	27	651340036
KST04432B-20	Silicone44 Silicone Rubberized Blue Roof Coating	5-Gallon	20	651369654
KST04432B-27	Silicone44 Silicone Rubberized Blue Roof Coating	55-Gallon Drum	27	651374894
KST04432C-20	Silicone44 Silicone Rubberized Black Roof Coating	5-Gallon	20	651369662
KST04432C-27	Silicone44 Silicone Rubberized Black Roof Coating	55-Gallon Drum	27	651374928
KST04432G-20	Silicone44 Silicone Rubberized Green Roof Coating	5-Gallon	20	651369688
KST04432G-27	Silicone44 Silicone Rubberized Green Roof Coating	55-Gallon Drum	27	651374977
KST04432M-20	Silicone44 Silicone Rubberized Medium Gray Roof Coating	5-Gallon	20	651409476
KST04432M-27	Silicone44 Silicone Rubberized Medium Gray Roof Coating	55-Gallon Drum	27	651409856
KST04432R-20	Silicone44 Silicone Rubberized Red Roof Coating	5-Gallon	20	651369696
KST04432R-27	Silicone44 Silicone Rubberized Red Roof Coating	55-Gallon Drum	27	651374985

ALUMINUM ROOF COATINGS				
PRODUCT NUMBER	PRODUCT DESCRIPTION	SIZE DESCRIPTION	SIZE CODE	SMIS CODE
KST020475	500 Premium Aluminum Silver Finish Coat	5-Gallon	20	9921032
KST020475	500 Premium Aluminum Silver Finish Coat	55-Gallon Drum	27	9921040
KST020480	300 Commercial Aluminum Silver Finish Coat	5-Gallon	20	9921057
KST020480	300 Commercial Aluminum Silver Finish Coat	55-Gallon Drum	27	8942385
KST0204XB	204XB Non-Fibered Aluminum Silver Finish Coat	5-Gallon	20	651080798

## **ASPHALT EMULSION COATINGS**

PRODUCT NUMBER	PRODUCT DESCRIPTION	SIZE DESCRIPTION	SIZE CODE	SMIS CODE
KST040312	Fibered Asphalt Emulsion	5-Gallon	20	1512912
KST040312	Fibered Asphalt Emulsion	55-Gallon Drum	27	1556570
KST040314	Non-Fibered Asphalt Emulsion	5-Gallon	20	9921123
KST040314	Non-Fibered Asphalt Emulsion	55-Gallon Drum	27	9921131

## **BASECOATS AND PRIMERS**

PRODUCT NUMBER	PRODUCT DESCRIPTION	SIZE DESCRIPTION	SIZE CODE	SMIS CODE
KST020412	Black Asphalt Primer	55-Gallon Drum	27	9921016
KST034520	Rust Inhibitive Metal Primer – Red	5-Gallon	20	9921107
KST034520	Rust Inhibitive Metal Primer – Red	55-Gallon Drum	27	1556562
KST036520	Acrylic Rust Inhibitive Primer – White	5-Gallon	20	650174808
KST036520	Acrylic Rust Inhibitive Primer – White	55-Gallon Drum	27	650389992
KST036500	Acrylic Concrete Primer	5-Gallon	20	650467731
KST038620	Bond-It Wash Primer	5-Gallon	20	9921115
KST041320	Premium Elastomeric Gray Basecoat	5-Gallon	20	9921206
KST041320	Premium Elastomeric Gray Basecoat	55-Gallon Drum	27	9921214
KST041320	Premium Elastomeric Gray Basecoat	250-Gallon Tote	28	1556620
KST041321	Single Ply Elastomeric Acrylic Gray Basecoat	5-Gallon	20	9921222
KST041321	Single Ply Elastomeric Acrylic Gray Basecoat	55-Gallon Drum	27	9921230
KST041510	Elastomeric MB White Basecoat	5-Gallon	20	9921263
KST041510	Elastomeric MB White Basecoat	55-Gallon Drum	27	9921271
KST041510	Elastomeric MB White Basecoat	250-Gallon Tote	28	1556646
KST041512	Elastomeric MB Gray Basecoat	5-Gallon	20	650367840
KST041512	Elastomeric MB Gray Basecoat	55-Gallon Drum	27	650367899
KST041520	Commercial Grade Elastomeric Gray Basecoat	5-Gallon	20	9921289
KST041520	Commercial Grade Elastomeric Gray Basecoat	55-Gallon Drum	27	9921297
KST041530	Bleed Blocker Primer	5-Gallon	20	651339814
KST041530	Bleed Blocker Primer	55-Gallon Drum	27	651339830
KST046620	Urethane88™ Gray Roof CTN	5-Gallon	20	651410144



SKU Listings

PATCH AND REPAIR: ROOF COATINGS, FABRICS AND TAPES				
PRODUCT NUMBER	PRODUCT DESCRIPTION	SIZE DESCRIPTION	SIZE CODE	SMIS CODE
KST019100	Skylight Restorative Clear Coating	5-Gallon	20	9920984
KST041220	Acrylic White Patching Cement	5-Gallon	20	9921149
KST0SLPBD	Slope Builder	5-Gallon	51	650391311
KST020802	Seam Tape 2" x 50'	2" x 50'	99	009921073
KST020804	Seam Tape 4" x 50'	4" x 50'	99	009921081
KST020806	Seam Tape 6" x 50'	6" x 50'	99	009921099
KST020808	Seam Tape 8" x 50'	8" x 50'	99	001556554
KST020385	Polyester Fabric 40" x 324'	40" x 324'	99	009920992
KST058600	Wet-Dry Roof Cement	10 oz.	01	650441769
KST058600	Wet-Dry Roof Cement	128 oz.	16	650442643
KST058600	Wet-Dry Roof Cement	5-Gallon	20	650442684
KST203850	Polyester Fabric 4" x 324'	4" x 324'	99	650830391
KST20385A	Polyester Fabric 6" x 324'	6" x 324'	99	009921339
KST20385B	Polyester Fabric 12" x 324'	12" x 324'	99	650201742

PATCH & REPAIR: ROOFING SEALANTS				
PRODUCT NUMBER	PRODUCT DESCRIPTION	SIZE DESCRIPTION	SIZE CODE	SMIS CODE
KST044900	Silicone44™-900 Silicone Rubberized Roof and Flashing Sealant – White	10 oz. Cart	01	650971245
KST044900	Silicone44-900 Silicone Rubberized Roof and Flashing Sealant – White	2-Gallon	17	650971252
KST051920	One Flash™ Roof Repair Sealant – Gray	2-Gallon	17	651038820
KST051920	One Flash Roof Repair Sealant – Gray	5-Gallon	20	651038846
KST051920	One Flash Roof Repair Sealant – Gray	20 oz. Sausage	43	651047557
KST051921	One Flash Roof Repair Sealant – White	2-Gallon	17	651208043
KST051921	One Flash Roof Repair Sealant – White	5-Gallon	20	651208068
KST051921	One Flash Roof Repair Sealant – White	20 oz. Sausage	43	651208076
KST058310	MS Hybrid Roofing Sealant – Black	10.1 oz.	01	650433097
KST058350	MS Hybrid Roofing Sealant – Clear	9.5 oz.	01	650433105
KST058450	Tripolymer Roofing Sealant – Clear	10.3 oz.	01	650433121
KST044320	UF Rub Silicone – Gray	5-Gallon	20	650963069
KST044320	UF Rub Silicone – Gray	55-Gallon Drum	27	650963077



**888-321-3539** or visit **uniflexroof.com 101 PROSPECT AVE NW, CLEVELAND, OHIO**